

Bid Corrigendum

GEM/2026/B/7788567-C7

Following terms and conditions supersede all existing "Buyer added Bid Specific Terms and conditions" given in the bidders are advised to bid as per following Terms and Conditions:

Buyer Added Bid Specific Additional Terms and Conditions

1. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25% of the contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order. In case of the extended delivery period the additional time shall commence from the last date of extended delivery period. $\text{Additional time} = \left(\frac{\text{Extended quantity} - \text{Original quantity}}{\text{Original quantity}} \right) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original time. Bidders must comply with these terms.
2. Buyer Added text based ATC clauses
 1. Bidder should submit all the documents, annexures and Brochures as per the ATC document.
 2. Bidder should quote for all the items

Corrigendum 02

1. All bidders are requested to note that some of the images provided in Corrigendum No. 01 are not the items, along with the specifications and clear images, have been uploaded to the Institute website. Bidders are requested to refer to the updated document available on the Institute website while preparing bids.

2. Bidders are requested to refer to the updated document available on the Institute website while preparing bids.

CORRIGENDUM - 01

1. Updated Technical specifications of all the items are as follows.

2. The actual requirement for **Centre Table-2 (Auditorium)** is **5 Nos.** However, the Bill of Materials (BoM) shows **3 Nos.** Therefore, bidders are requested to **quote for 3 Nos. only**, as per the BoM. If required, the quantity may be increased up to 5 Nos. in the contract/order, subject to the applicable procurement provisions.

3. Specifications

Technical Specifications and Other Terms and Conditions

Technical Specifications and Other Terms and Conditions

Technical Specifications / Requirements

S. N o.	Product Name	Tentative Image	Specific
------------	--------------	-----------------	----------

LIBRARY (Room Dimension 62ft x 2

1	Plektrom Table		Plektrom Table- Size 100 X H - 750 Providing m Table with top 25mm d Partical board, side edge bend.. Frame 13mm dia To be fixed on powder Coted .
2	Chair Isocele with Handle		Isocele with Handle 90mm,D:580mm,W: - Back & Seat Mould • Back Outer PPCP • Crape Tapestry • PU Handle • Hot pressed Ply • Frame Oval Tube 13mm wder Coated.

Overall Dimention: :
Ht. Top made of pre
e board with pvc ed
stucture also made
d particle board wit
g.

Top- Size :- 1500x750
 minated Particle Boar
 d by 2 mm thick PVC E
 ough Feed Machine.

Modesty- Modesty m
 Pre Laminated Particle
 covered by 2 mm thick
 by Through Feed Mach

Under Structure- Sic
 ombination of 25 MM t
 article Board with Alun
 e 60X40 with grooving
 p plate with profile cut
 44 mm width & 4 mm
 fitting arrangement. C
 0.8 mm CRCA Sheet. F
 nager as per L.H. or R.
 Open edges of Particle
 mm thick PVC Edge be
 ed Machine.


Cap & Levellers- 4 n
 r has been provided at
 ng level. It also prever
 or & Product as well.

Construction- The pr
 k-down conditional for
 on.

Finish- No sharp edge
 steel components are
 d followed by seven ta
 eatment of surface.


3

Main Table

4	Side Table with Drawer		SDU with Drawer- Si Width:900mm,Depth:4 ade-up of prime quality nealed Sheet Use only welding for fabrication m thick Pre-laminated Edges covered with PV e bending machine. Pr low table top with tele rior Quality make lock. in cold rolled close an doors are Top hung slid ll steel components are ed followed by seven t reatment of surface. <i>The overall appearance shall be as per photog.</i>
5	Rack Main Single Side		Racking Main Single :- H:-1980mm, W:-9 Body Structure: Ma quality cold rolled close 1.0mm thk 3 fold side m hole in middle of ea the height at 25mm pi ability of shelves. Adju made out of Prime Qua annealed 1.0mm thk. ! ckdown assembly. All e epoxy powder coated tanks anti corrosion tr <i>Overall appearance as</i>
6	Rack Add-on Single Side		Racking Add-on Sing ize:- H:-1980mm, W m: Body Structure: l quality cold rolled cl eet 1.0mm thk 3 fold 9mm hole in middle o out the height at 25m adjustability of shelves. half made out of Prime lose annealed 1.0mm knockdown assembly. s are epoxy powder co en tanks anti corrosior e. <i>Overall appearance as</i>

S. N o.	Product Name	Tentative Image	Specification
------------	--------------	-----------------	---------------

SEMINAR ROOM (Room Dimension 36'


1	Main Curved Two Seater 1350X441X750 mm		GD-Main Curved Two h-1350mm,TOP D-441mm Structure made up of M.S. cold annealed 1.6mm thick pressed formed MS cold rolled section 95x25x1.0mm. Depth 750mm 25mm thick pre-laminated side edges covered by 12mm Thk. Book self provided of ms wire Φ 5 mm. Group All steel components are coated followed by seven on treatment of surface.
2	Add-on Curved Two Seater 1350X441X750 mm		GD Add-on Curved Two dth-1350mm,TOP D-441mm Structure made up of M.S. annealed 1.6mm thick pressed formed MS cold rolled section 95x25x1.0mm. 25mm thick pre-laminated Side edges covered by 12mm Thk. Book self provided of ms wire Φ 5 mm. Group All steel components are coated followed by seven on treatment of surface.
3	Chair with Veneer Shell without Cushion		Veneer Shell Chair with Size- Width-415mm,D-520mm EAT HEIGHT-450 Base material Ø 200x6mm Thk. Vertical Thk. Auto Reverse Mechanism ell 12mm Thk molded polyurethane e polished. Steel components coated followed by seven on treatment of surface.


4	Lectern Podiums		Key Features: Fully Loaded Podium with stem for Professional Presentation & Rigid Design with Epoxy (Black & Bavarian Beech) Speakers, Amplifier, Extensibility & IC Panel Comes with Gooseneck Mic, FM Radio Booth Ideal for Teaching, Demonstration Material: Prime Quality Laminated PB & ABS Product Dimensions & Volume: 40 cm 27.25 Kg Items Included: 1N Podium Standard Pack: 1 Unit/2


S. No.	Product Name	Tentative Image	Specifications
--------	--------------	-----------------	----------------

FACULTY LOUNGE (Room Dimension)

1	Single Seater Waiting Sofa		Providing and placement of 1 II Size 640mm(W) 670mm(D) Handle Ht- 720mm. Upholstery Pu Cloth/Leatherite. Frame Material plywood and pine Wood, Plywood (moisture resistance and termite free). 2x64 mm. Moisture content: 10-12% of 45 mm thick U foam, Density : 40 with 75 mm wide elastic belts. Base U foam, Density : 40. Legs : Prime movability.

 	2	Round Coffee Table		Round Coffee Table- Overall Dimension 450mm • Made up of 25mm Thick Plywood • Top is Round in shape, curved legs machine. • One side laminated, Color Scheme. • Edges finished with colored PVC Edge Biding by Rehau or equivalent in Trirod Pattern as shown in image. • Round bright bars finished with Polishing of all the metal units must be done with oven baking coat by polycrystalline - Associate Brand or Equivalent.
	3	Hexagon Ottoman		Hexagon Ottoman- Overall Size 450mm H • Ottoman made up of 6 mm thick plywood further Covered with non water absorbent foam of density >= 50 • Covered with high grade Vinyl fabric , Vinyl is loved for what is easily wiped clean. • Water fastness to lighting - 4 to 5 • Easy slides for easy movement. 50mm thick Dacron LON , a tough, lightweight, elastic material.
	4	Elegant Sofa Two Seater		Providing and placement of 2 seater 1350mm(W) 770mm(D) 810(H). • Plywood 620mm. <u>Upholstery Material</u> : Pretherite. <u>Frame Material</u> : Combination of Wood, Plywood thickness : 12 mm (termite free) & 3 mm. Pinewood. Moisture content: 10-12%. <u>Seat Material</u> : 45mm thick U foam, Density : 32. Super soft 45 mm. <u>Back Material</u> : 45mm thick U foam, Density 28. 22mm thick U foam, Density 28. Dacron 15mm wide elastic belts. S/Zick Zack Spun on seat structure using Metal quality Metal, Ht. 150mm.
	5	Tube Ottoman 450 mm dia		Tube Ottoman Diameter 450mm with composite steel & plywood 12mm thick ply, Metal Structure made of 4" Tube. Side edges covered with PU foam 50 density. Upholstery fabric with high durability. The overall product shall be as per photograph.

6	Large Arc Ottoman		Arc Ottoman Large Overall Dimension 1200mm W x 450mm H Top & Base made up of 12mm thick perforations, Support structure Gauge, Metal Frame 3/4" Tube, Top foam layer 50 density. Further to be covered with a layer of better comfort outer structure to be 50 density to be upholstered with vinyl fabric having sewed edges
7	Center Table 1200 X 600		Overall Dimension: 1200 X 600 X 750mm High Moisture Resistant 25mm Thickness Board • One side laminated, Color Scheme. • Edges finished with PVC Edge Biding by Rehau or equivalent Trirod Pattern as shown in image and bright bars finished with Polishing of all the metal units must be with oven baking coat by polyester paint - Associate Brand or Equivalent

S. No	Product Name	Tentative Image	Specifications
Auditorium			
1	Visitor Chair		Metal Chrome With Cushion Arm Chrome Plated Pipe Stand Leather
2	Centre Table		Toughened Clear Glass 12mm Thickness Lower Shelf 18mm PLPB, 1200 X 600mm Wooden Frame

3	Centre Table		Toughened Clear Glass 12mm Th Lower Shelf 18mm PLPB, 600X 60 Wooden Frame
---	--------------	---	---

3. Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent / impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising including the modification of technical specifications and / or terms and conditions governing the bid. All representations raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, with

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Source.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension is not approved by the Buyer.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specific Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders, the contract will be awarded to the bidder with the lowest bid among the L1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional items, needs more items along with the main item, the same must be added through bunching category based item with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Such representations and would not be allowed to open bids if he fails to reply to such representations.

*This document shall overwrite all previous versions of Bid Specific Additional Terms and Conditions.

[This Bid is also governed by the General Terms and Conditions](#)