

Date: 15 Jan 2019


CORRIGENDUM – 1

1. It is notified to all concerned parties that with reference to our **Tender No. IITH/CE/SURENDRA/2018/T051 dated 14.01.2019 for the supply of "HPC Cluster"**, the following changes are being made w.r.t. the Tender: -

S.No.	Description	EXISTING	AMENDED AS
(a)	Page no. 7 of 8 of the tender document – Annexure I, Point No. 20 Supplier Capability	<ul style="list-style-type: none"> The bidder should be in HPC business for the last at least 5 years. Supporting documents to be submitted. The bidder should have Technical expertise in implementing cluster, which includes installation configuration, maintenance and customization as per requirement. The bidder must have supplied, installed, and integrated at least 5 similar or equivalent systems in the last 3 years across India, preferably in CSIR Labs / IIT's / NIT's / Edu & R&D Labs. Please provide a satisfactory installation report 	<ul style="list-style-type: none"> The bidder should be in HPC business for the last at least 5 years. Supporting documents to be submitted. Authorization from OEM to Bid for subject Tender to be submitted. The bidder should have Technical expertise in implementing cluster, which includes installation configuration, maintenance and customization as per requirement. The OEM must have supplied, installed, and integrated at least 5 similar or equivalent systems in the last 3 years across India, preferably in CSIR Labs / IIT's / NIT's / Edu & R&D Labs. Please provide a satisfactory installation report

2. All other terms and conditions of the tender remain unchanged. Bidders, who have already submitted their bids prior to issue of this corrigendum, may opt to quote afresh also. In case more than one bid is received from one firm, the bid which is received latest, before the extended Due Date shall be considered for all purposes.

Yours faithfully,


(V VENKAT RAO)
Joint Registrar
IIT Hyderabad